

Entrepreneur India


106-E, Kamla Nagar, New Delhi-110007, India.

Tel: 91-11-23843955, +91 9097075054

Mobile: +91-9097075054

Email: npcs.ei@gmail.com, info@entrepreneurindia.co

Website: www.entrepreneurIndia.co



Handbook on Pet Film and Sheets, Urethane Foams, Flexible Foams, Rigid Foams, Speciality Plastics, Stretch Blow Moulding, Injection Blow Moulding, Injection and Co-Injection Preform Technologies

| | |
|---------------------|---------------|
| Code | NI311 |
| Format | paperback |
| Indian Price | ₹1275 |
| US Price | \$125 |
| Pages | 672 |
| ISBN | 9788178331775 |

Description

Handbook on Pet Film and Sheets, Urethane Foams, Flexible Foams, Rigid Foams, Speciality Plastics, Stretch Blow Moulding, Injection Blow Moulding, Injection and Co-Injection Preform Technologies (Also Known as Speciality Plastics, Foams (Urethane, Flexible, Rigid) Pet & Preform Processing Technology Handbook)

Polyester or polyethylene terephthalate (PET) is an unreinforced, semi-crystalline thermo-plastic polyester derived from polyethylene terephthalate. Its excellent wear resistance, low coefficient of friction, high flexural modulus, and superior dimensional stability make it a versatile material for designing mechanical and electro-mechanical parts. PET is fully recyclable and can be easily reprocessed into many other products for many different applications. However, unlike paper and other cellulose products, PET does not readily decompose. However, biodegradable additives are available that enhance the biodegradation of this plastic without affecting the physical properties.

Formation of a flexible polyurethane foam is an intricate process employing unique hardware, multiple ingredients and at least two simultaneous reactions. The urethane forming reaction occurs between the isocyanate and the polyol. Polyurethanes, also known as polycarbamates, belong to a larger class of compounds called polymers. Polyurethanes can be produced in four different forms including elastomers, coatings, flexible foams, and cross-linked foams. Elastomers are materials that can be stretched but will eventually return to their original shape. They are useful in applications that require strength, flexibility, abrasion resistance, and shock absorbing qualities.

Thermoplastic polyurethane elastomers can be molded and shaped into different parts. This makes them useful as base materials for automobile parts, ski boots, roller skate wheels, cable jackets, and other mechanical goods. When these elastomers are spun into fibers they produce a flexible material called spandex. Spandex is used to make sock tops, bras, support hose, swimsuits, and other athletic apparel. Co-injection is the process of injecting two resins simultaneously through a single gate to form a multi-layer structure. Recently, there has been a re-emergence of interest in co-injection technology spurred on by the development of new resins, barrier systems, controls, and hardware technologies.

Increasing demand of polyethylene terephthalate (PET) from food and beverage sector like in carbonated soft drinks packaging, increase demand for packaged food due to rise in consumption of frozen and processed food, rise in demand for electronics and

automotive applications/industries and ecofriendly substitution are the most important driving factors in the polyethylene terephthalate market. Also, rapid urbanization, innovative packaging and high economic growth is contribution in increasing the demand for polyethylene terephthalate regardless of the geographical location.

This book will be a mile stone for its readers who are new to this sector, will also find useful for professionals, entrepreneurs, those studying and researching in this important area.

Content

1. PROPERTIES AND APPLICATIONS OF SPECIALITY PLASTICS

Polytetra Fluoroethylene (PTFE)
Thermoplastic Polyurethanes (TPU)
Polysulphones (PSO)
Polyether Sulphone (PES)
Polyphenylene Sulphide (PPS)
Polyphenylene Ether (PPE)
Polyether Etherketone (PEEK)
Polyarylates
Polyamide Imide (PAI)
Polyether Imide (PEI)
Liquid Crystal Polymers (LCP)

2. FORMATION OF URETHANE FOAMS

Introduction

The Chemistry of Foam Formation and cure

1. Reaction of Isocyanates
2. Function of the isocyanate in Foaming
3. Role of Catalysts in Foam systems
 - A. The Tertiary Amine Catalysts
 - B. The Tin Catalysts
 - C. Mixed Catalysts Systems

The Final Cure of Urethane Foams

Colloid Chemistry of Foam Formation

1. Bubble Nucleation
2. Bubble Stability
3. Urethane Foam Systems

Viscoelastic Changes in Foaming

1. Effect on Cell Structure, Voids, and Foam Collapse
2. Relations between Cell Structure and Properties
3. Structure Factors Affecting Stress Relaxation and Creep in Flexible Foams

3. FLEXIBLE FOAMS

Introduction

Raw Materials Used in Flexible Foams

1. Isocyanates
2. Polyols Blowing
3. Agents Catalysts
4. Surfactants
5. Miscellaneous Additives

Foam Systems

1. General Methods of Preparation
2. Prepolymers
 - A. Variables in the preparation of prepolymers
 1. Raw Materials Control
 2. Effect of Isocyanate-Hydroxyl Ratio
 3. Effect of Polyol Variation
 4. Effect of Reaction Time and Temperature
 5. Effect of water
 6. Effect of catalysts
 7. Effect of Agitation
 8. Effect of Reactor size
 - B. Procedures for the preparation of prepolymers
 1. Batch Procedures
 2. Preparation of Prewolymer with Biuret Branching
 3. Preparation of Prepolymer with Allophanate Branching
 4. Preparation of Prepolymer with Urethane Branching
 5. Preparation of Polyester Prepolymer
 6. Preparation of Castor Oil-Based Prepolymers
 7. Batch Plant Process for Polyether Prepolymers
 8. Catalyzed Prepolymer Preparation
 9. Stabilization of Prepolymers
 - C. Foaming of prepolymers
 1. Free Isocyanate Content
 2. Water
 3. Surface Active Agents
 4. Catalysts
 5. Other Additives

Plasticizers

Pigments and Fillers

Flame Retardants

3. Semi-Prepolymers

4. One-shot Foams

1. Chemical variations

Effect of water

Effect of Catalysts

Effect of Emulsifiers and Additives

2. Mechanical Variations

3. Physical Variations

4. Formulation Variations

B. Variables in the preparation of one-shot Polyether Foams

1. Effect of Polyols

2. Effect of Diisocyanate

3. Effect of Blowing Agents

4. Effect of Catalysts

5. Effect of Silicones

6. Effect of Filters and Additives

7. Formulation Variations

Methods of Foam Application

1. Foaming Equipment

2. Manufacture of Slab Stock

A. Foam Production

B. Sectioning of Slab Stock

C. Counter Shaping

D. Post-Forming

3. Molding of Flexible Foam

4. Frothing of Flexible Foams

5. Foaming of Urethane Elastomers

6. Spraying of Flexible Foams

Properties of Flexible Foams

1. General Properties

2. Specific Properties

A. Aging of Flexible Foam

B. Sound Absorption

C. Low and High Temperature Properties

D. Solvent and Chemical Resistance

E. Oxidation and Ultraviolet Resistance

F. Flammability of flexible Urethane Foams

G. Fatigue Properties

Application of Flexible Foams

1. Furniture
2. Bedding
3. Transportation
 - A. Automotive
 - B. Aircraft
 - C. Public Seating
4. Packaging
5. Clothing, Textile and Miscellaneous Foam Laminates
6. Carpet Underlay
7. Sporting goods
8. Toys and Novelties
9. Sponges and Miscellaneous Household Items
10. Filtering Materials
11. Construction, Insulation and Miscellaneous Uses
12. Military and Missile Uses
13. Horticultural
14. Footwear
15. Medical

Miscellaneous Flexible Foam Systems

4. RIGID FOAMS

Introduction

1. Raw Material used in Rigid Foams

1. Isocyanates
2. Polyols
3. Blowing Agents
4. Catalysts
5. Surfactants
6. Flame Retardants
7. Miscellaneous Additives

Foam System

1. Polymer Preparation

- A Semi-Prepolymer
- B. Complete Prepolymer
- C. One-shot Systems

2. Foam Preparation

- A. Effect of Isocyanate Variations
- B. Effect of Polyol Variations
- C. Effect of Blowing Agents

- D. Effect of Catalysts
- E. Effect of Surfactants
- F. Effect of Fillers
- G. Flame Retardants
- Methods of Foam Production
- 1. Batch Preparation
- 2. Continuous of Intermittent Pouring
- A. Nonfroth Systems
- Metering Equipment
- Mixing of Components
- B. Frothing System
- 3. Spraying
- 4. Production of Finished Foam
- A. Continuous Slab Production
- B. Molding Operations
- C. Foming-in-Place
- Foam Properties
- 1. Genral Properties
- 2. Specific Properties
- A. Coefficient of Expansion
- B. Service Temperature
- C. Closed Cell Content
- D. Thermal Insulation
- E. Adhesion to Various Substrates
- F. Water Absorption
- G. Water Vapor Permeability
- H. Humid Aging
- I. Solvent Resistance
- J. Electrical Properties
- K. Sound Insulation
- L. Fungus Resistance
- Applications of Rigid Foams
- 1. Refrigeration Insulation
- 2. Refrigerated Trucks and Trailers
- 3. Insulation of Pipes and Tanks
- 4. Structural Uses
- 5. Uses in the Aircraft Industry
- 6. Military Uses
- 7. Void Filling and Insulation of Ships
- 8. Uses in Packaging
- 9. Uses in the Electric Industry

10. Aerospace Applications

11. Miscellaneous Uses

Miscellaneous Foaming Systems

5. ONE-STAGE INJECTION STRETCH BLOW MOULDING

Introduction

One-Stage Machines

1. One-Stage Machine Construction

Process Stations on one-Stage Machine

1. Injection mould and hot runner

A. Process conditions affecting perform quality

2. Conditioning Station

3. Blowing Station

Integrated Two-Stage machines

Drying System

1. Requirements for a reliable drying system

2. Drying process monitoring

Preform Design

1. Neck finish

2. Preform weight

3. Cycle time and preform wall thickness

4. Stretch ratios

5. Injection mould design and manufacture

6. Preform design for varying container sizes

7. Preform weight adjustment

8. Difference between one- and two-stage preform designs

Container Design

Hot-Fill Pet Bottles

Quality Control Procedures

Preform Examination

1. Appearance and shape

2. Preform weight

3. Neck dimensions

4. Preform eccentricity

5. Polarised light inspection

6. Intrinsic Viscosity (IV)

7. Actetaldehyde (AA)

Container Examination

1. Shape and appearance

2. Dimensions

3. Capacity

4. Container wall thickness and material distribution
5. Top load strength
6. Impact resistance (drop) test
7. Leakage of liquid (seal integrity)
8. Vacuum strength
9. Acetaldehyde (AA)
10. Oxygen permeation
11. Moisture Vapour transmission rate
12. Product filling temperature
13. Container weight

Bottles for Carbonated Beverages

1. Burst pressure
2. Thermal stability
3. Carbon retention

Additional Tests for Hot-Fill containers

Additional Tests for Returnable/refillable Pet Bottles

6. INJECTION BLOW MOULDING

Introduction

Basic Principles

History

Commercial Processes

1. Rotary table machines : Jomar, Uniloy and similar

Tooling

Procrea

Material

Applications

Machine and Process Capabilities

7. PET MATERIAL AND APPLICATIONS

Introduction

Polymerisation and Manufacturing Processes

1. Manufacturing plants

Structures, Morphology and Orientation

1. Structure
2. Morphology
3. Orientation
4. Creep

Properties

1. Molecular weight and intrinsic viscosity

2. End group

3. Thermal properties

2. End group

3. Thermal properties

Rheology and Melt Viscosity

1. Melt viscosity

2. Melt Flow

3. Moulding Shrinkage

Moisture Uptake and Polymer Drying

1. Moisture level

2. Polymer drying

Degradation Reactions

1. Thermal and thermal oxidative degradation

2. Environmental Degradation

Reheat Characteristics

Gas Barrier properties

Amorphous Polyesters

1. Homopolymers

2. Low copolymers

3. Medium copolymers

4. High copolymers

Crystalline polymers

Polymer Blends

Applications

Trends

Globals

8. INJECTION AND CO-INJECTION PREFORM TECHNOLOGIES

Multilayer Characteristics

Applications

1. Performance-Driven Applications

2. Economics - or Legislative-Drive Applications

3. Combination Applications

Closure vs Bottle Permeation

Container Performance

1. Barrier properties

2. Oxygen barrier

3. Carbon dioxide barrier

4. Scavenger property

Wall structure

Preform and Bottle Design

1. Permeation through finish, sidewall and base
 2. Controlled fill
- Headspace Oxygen Absorption
Oxygen Desorption From Pet
Beer Containers
Small Juice Containers
Small CSD containers
Core layer volumes
Comparison of Co-Injection technologies
Co-Injection Moulding Equipment

9. PET FILM AND SHEET

Introduction

The Film Process

1. Polymer preparation and handling
2. Extrusion and Casting
 - a. Extrusion
 - b. Casting
3. Drawing
 - a. The forward draw preheat (FWDPH)
 - b. The forward draw (FWD)
 - c. The sideways draw preheat (SWDPH)
 - d. The sideways draw (SWD)
4. Heat Setting
5. Slitting and Winding
 - a. In line slitting and knurling
 - b. Winding conditions
6. Reclaim and recovery

Polymer, Process and Properties (3ps)

1. Polymer
2. Process
3. Properties

Surface and Bulk Properties

1. Film properties
2. Coating
3. Co-extrusion
4. Fillers
5. Shrinkage
6. Combination of effects

PET Sheet

1. Extrusion of PET sheet

2. Thermoforming of CPET sheet

4. Material

5. New developments

Conclusion-Film

10 PLASTICS AS SAFE & HYGIENIC MEDIUM FOR PACKAGING FOOD & FOOD PRODUCTS

Glimses of Modern India

Views & changing practices

Scarcity among plenty

Consumer market

Food packaging a need

Food Safety The Ultimata

Risk assessment & food packaging regulations

Compatibility studies

Migration modelling

Package Design

Packaging Development Process

Plastics as a Choice

Plastic Use for Packaging in India

Lowest cost packaging

Plastic-Packaging Solution for Food Products

Growing user of plastic in Packaging

Plastics and their present usages

Indian Polymer Demand in KTPA

Plastics reduce post harvest wastage

Wastage of food product in India

Plastic crates for post harvest packing

Polypropylene boxes for horticulture packaging

Plastics in bulk packaging

Bulk Packaging Jute V/s PWS

Suitability of PP/PE Bags for Food Grains & Sugar Storage

Specialized Food Packaging

Case study

Plastics & Food shelf Life

Plastics packaging for sterilized/irradiated food products

National Standards on Packaging code for fresh & Processed Food

Indian Food Laws and Packaging specification

Edible Oil packaging Act

Packaging, Plastics & Environment

IS packaging or plastics the Real Culprit

ECO- Protection programmes

Future: What plastics have to offer

11. TWO STAGE INJECTION STRETCH BLOW MOULDING

Introduction

1. The principles of the Two-stage process
 - a. Preform moulding
 - b. Container stretch blow moulding
 - c. Preform and container design
2. Technological Basics of Pet as a Stretch Blow moulding material
3. Production concepts and target market

Preform Injection Moulding

1. Injection machine concepts
 - a. Plasticizing

Clamping

2. Mould Design
 - a. Hot runner system
 - b. Gates and cavities

Productivity Parameters

- a. Cycle time
- b. Preform design and key related parameters
- c. Preform quality and key related parameters

Stretch Blow Moulding

1. Principles of the two stage stretch blow moulding process
 - a. Preform reheating
 - b. Stretch blow moulding

Technologies for thermally stable containers

Thermal relaxation and pre-shrinkage

Hot-fill

Heat-set

Super heat-set

2. Machinery concepts

Mould technology

Preform and Container Design

Container design

Preform design

About Niir

NIIR Project Consultancy Services (NPCS) is a reliable name in the industrial world for offering integrated technical consultancy services. Its various services are: Pre-

feasibility study, New Project Identification, Project Feasibility and Market Study, Identification of Profitable Industrial Project Opportunities, Preparation of Project Profiles and Pre-Investment and Pre-Feasibility Studies, Market Surveys and Studies, Preparation of Techno-Economic Feasibility Reports, Identification and Selection of Plant and Machinery, Manufacturing Process and/or Equipment required, General Guidance, Technical and Commercial Counseling for setting up new industrial projects and industry. NPCS also publishes various technology books, directories, databases, detailed project reports, market survey reports on various industries and profit making business. Besides being used by manufacturers, industrialists, and entrepreneurs, our publications are also used by Indian and overseas professionals including project engineers, information services bureaus, consultants and consultancy firms as one of the inputs in their research.