

## Entrepreneur India


106-E, Kamla Nagar, New Delhi-110007, India.

Tel: 91-11-23843955, +91 9097075054

Mobile: +91-9097075054

Email: npcs.ei@gmail.com, info@entrepreneurindia.co

Website: www.entrepreneurIndia.co



## Handbook on Citrus Fruits Cultivation and Oil Extraction

<b>Code</b>	NI223
<b>Format</b>	paperback
<b>Indian Price</b>	₹1575
<b>US Price</b>	\$150
<b>Pages</b>	544
<b>ISBN</b>	9788178331256
<b>Publisher</b>	Asia Pacific Business Press Inc.

### Description

Citrus fruits are produced all around the world. They contain healthy nutrition content that works wonders for the body. Citrus fruits act as a fabulous source of vitamin C and a wide range of essential nutrients required by the body. India only represents a mere 4% of global citrus fruit production. But now a day, there is a rise in its cultivation. This rise in citrus production is mainly due to the increase in cultivation areas & the change in consumer preferences towards more health & convenience food consumption & the rising incomes. Citrus fruits have long been valued as part of a nutritious and tasty diet. The flavours provided by citrus are among the most preferred in the world, and it is increasingly evident that citrus not only tastes good, but is also good for people. It is well established that citrus and citrus products are a rich source of vitamins, minerals and dietary fiber (non starch polysaccharides) that are essential for normal growth and development and overall nutritional well being. However, it is now beginning to be appreciated that these and other biologically active, non nutrient compounds found in citrus and other plants (phytochemicals) can also help to reduce the risk of many chronic diseases. Appropriate dietary guidelines and recommendations that encourage the consumption of citrus fruit and their products can lead to widespread nutritional benefits across the population. All citrus fruit is acid fruit. The acid fruits are the most detoxifying fruits and excellent foods. Lemon oil is obtained from the fruits of citrus *Limonum*, Risso (Rutaceae). Although the majority of commercially available essential oils are extracted from the original botanical material by use of steam distillation, most citrus essential oils are extracted by pressing the rinds of the citrus fruits. The oil of sweet orange is obtained from the fruits of citrus *Aurantium* Risso and the oil of bitter orange from fruits of citrus *Bigaradia* Risso (Aurantiaceae). Orange Essential Oil is energizing and is usually well loved by men, women and children. Citrus fruit oils are cheaper than most other essential oils. Lemon or sweet orange oils that are obtained as by products of the citrus industry are even cheaper.

Some of the fundamentals of the book are botanical classification, classification of genus citrus, criteria for citrus classification, information on important citrus fruits, subgenus fucitrus (edible citrus fruits), citrus cultivation, citrus fruits, kinnow mandarin, citrus fruit breeding, soil inspection for citrus family, nutrition for citrus world, proper harvesting of citrus, post harvesting of citrus fruits, etc.

This handbook on citrus fruits provides relevant information on most citrus crops, the basics of citriculture & production, pre & post harvest management, picking, storage etc. Selected topics on oil extraction of citrus fruits are also given to provide knowledge of the techniques used. This book will be helpful for technocrats, farmers, research scholar, institutions etc.

## **Content**

## Contents

### 1. Botanical Classification

Classification of Genus Citrus

Criteria for Citrus Classification

Different Classification

Subgenus Eucitrus (10 Species)

Subgenus 2. Papeda (6 Species)

Subgenera 1. Archicitrus (5 Sections, 98 Species)

Subgenera 2. Meta Citrus (3 Sections, 46 Species)

Others of Somewhat Doubtful Classification

Information on Important Citrus Fruits

Subgenus Fucitrus (Edible Citrus Fruits)

Acid Group

Citrus Medica Linn. (Citron)

Citrus Lemon Burm (Lemon)

Citrus Aurantifolia Swingle (Acid Lime)

Citrus Latifolia Tanaka (Tahiti or Persian Lime)

Citrus Limettioides Tanaka (Sweet Lime)

Citrus Jambhiri Lush (Rough Lemon; Jambiri)

Citrus Limetta Risso (Limetta of the Mediterranean)

Citrus Karna Raff (Kharna Khatta)

Citrus Limonia Osbeck (Rangpur Lime)

Citrus Pennivesiculata Tanaka (Gajanimma)

Orange Group

Citrus Aurantium Linn (Sour, Bigarade or Senville Orange)

Citrus Sinensis Osbeck (Sweet Orange)

Citrus Myrtifolia Raffinesque

Citrus Bergamia Risso (Bargmot Orange)

Citrus Natsudaoides Hayata

Pumelo-Grapefruit Group

Mandarin Group

Citrus Reticulate Blance (loose skinned orange or Santra of India)

Citrus Unshiu M (Satsuma Mandarin)

Citrus Deliciosa Tenore

Citrus Nobilis Loureio (King Mandarin)

Citrus Reshni Tanaka (Spice Mandarin)

Citrus Medurensis Lou (Calamondin)

Citrus Madarapatana Tanaka

Subgenus Papeda : (Inedible Citrus Fruits)

Eupapeda Citrus

Citrus Macroptera (Metanewsian Papeda)

Papeda Citrus  
Citrus Ichangensis  
Citrus latipes (Khasi Papeda)  
Kumquats  
Fortunella Margarita Swingle (Nagami or Oval Kumquat)  
Fortunella Japonica Swingle (Marumi or Round Kumquat)  
Fortunella Crassiflora Swingle (Meiwa Kumquat)  
Fortunella Bindsii Swingle (Hong Kong wild Kumquat)  
Poncirus Trifoliata L. (Trifoliate Orange)  
Citrus Relatives  
Aegle Marmelos Linn. (Bael)  
Feronia Limonia (Linn) Swingle (Wood apple)

## 2. Citrus Cultivation

Sweet Oranges  
Citrus Sinensis Osbeck  
Batavian  
Hamlin  
Jaffa  
Malta Blood Red  
Mosambi  
Pineapple  
Sathgudi  
Shamouti  
Valencia Late  
Washington Navel Oranges  
Mandarin Oranges  
Citrus Reticulata B.  
Calamondin (Citrus Madurensis Lou)  
Cleopatra (Spice Tangerine) C. reshni T.  
Coorg Orange  
Dancy Tangerine  
Desi Mandarin (Pathankot)  
Khasi Orange  
King Mandarin  
Kinnow Mandarin  
Nagpur Santra  
Satsuma Orange (C. unshiu M.)  
Temple Mandarin  
Lemon C. limon Burm  
Eureka Lemon

Lisbon Lemon  
 Lucknowseedless  
 Hill Lemon (Galgal) *C. pseudolimon* Tanaka  
 Malta Lemon  
 Meyer Lemon  
 Napali Oblong  
 Villafranca  
 Lime  
 Acid Lime (*Citrus aurantifolia* Swingle)  
 Tahiti (Persian) Lime (*C. latifolia* Tanaka)  
 Rangpur Lime (*Citrus Limonia* Osbeck)  
 Sweet Lime (*Citrus Limettioides* Tanaka)  
 Pummelo (*C. Grandis* Osbeck)  
 Nagpur (Chakotra)  
 Grapefruit (*C. Paradisi* Macf)  
 Duncan  
 Foster  
 Marsh Seedless  
 Ruby  
 Shaharanpur Special  
 Thompson (Pink Marsh)  
 Citrus Hybrids  
 Inter Generic Hybrids  
 Hybrids of *Poncirus*  
 Citranges  
 Citrangequats (*Citrus* *O*(range) *Kum*(quats)  
 Citrangedins (*citrus* *O*(range)–*Calomon* (din)  
 Citrangors  
 Cleitranges  
 Citrumelos  
 Hybrids of *Fortunella*  
 Procimequat (*Pro*(to)*C*(itrus–*L*)imequat.  
 (*Fortunella japonica*–*C. aurantifolia*, Cv. "Mexican"–*F. hindsii*.  
 Limequats (*C. aurantifolia*–*F. japonica*)  
 Orangequats. (*C. reticulata* Cv. *satsuma*–*F. japonica*–*F. morgarita* Cv. *meiwa*)  
 Hybrids of Genus *Eremocitrus*  
 Intrangeneric Hybrids

### 3. Citrus Fruits

Sweet Orange

Climate

Soil  
Cultivars  
Mosambi  
Blood Red Malta  
Sathgudi  
Pineapple  
Washington Navel  
Jaffa  
Shamouti  
Valencia Late  
Hamlin  
Batavian  
Propagation  
Raising of Seedlings for Rootstock  
Budding  
Planting  
Manure and Fertilizers  
Irrigation  
Interculture and Intercropping  
Training and Pruning  
Bahar Treatment  
Fruit Drop  
Physiological Fruit Drop  
Control Measures  
Pathological Fruit Drop  
Control Measures  
Harvesting  
Yield  
Post Harvesting Handling and Storage

#### 4. Mandarin

Uses  
Climate  
Soil  
Varieties  
Nagpur Santra  
Khasi Orange (Mandarin)  
Coorg Orange  
Desi Mandarin (Pathankot)  
Other Varieties  
Propagation

Manure and Fertilizers

Yield

Post Harvest Handling and Storage

## 5. Kinnow Mandarin

Uses

Climate

Soil

Propagation

Planting

Manures and Fertilizers

Irrigation

Interculture and Intercropping

Flowering and Fruiting

Harvesting

Yield

Post Harvest Handling and Storage

## 6. Sour Lime

Uses

Climate

Soil

Types/Varieties of Lime

Kagzi Lime

Chakradhar Lime

Rangpur Lime (*Citrus limonia* Osbeck)

Taheti (Persian) Lime (*C. latifolia* Tanaka)

Propagation

Raising of Seedlings

Planting

Manure and Fertilizers

Irrigation

Interculture and Intercropping

Training and Pruning

Flowering and Fruiting

Harvesting

Postharvest Handling and Storage

## 7. Sweet Lime

Uses

Climate

Soil  
Varieties  
Mitha Chikna  
Propagation  
Planting  
Manures and Fertilizers  
Irrigation  
Training and Pruning  
Flowering and Fruiting  
Harvesting  
Yield  
Handling and Storage

## 8. Lemon

Uses  
Climate  
Soil  
Varieties  
Eureka  
Lisbon Lemon  
Villafranca  
Lucknow Seedless  
Nepali Oblong  
Baramasi  
Kagzi Kalam  
Hill Lemon. (Galgal) *C. pseudolemon* Tanaka  
Meyer Lemon  
Pat Lemon  
Italian Lemon  
Rajamundry Lemon  
European Lemon  
Ponderosa Lemon or Japanese Lemon  
Malta Lemon  
Propagation  
Planting  
Irrigation  
Manure and Fertilizers  
Training and Pruning  
Improvement in Yield  
Harvesting  
Yield

## Post Harvest Handling and Storage

### 9. Grapefruit

Uses

Climate

Soil

Varieties

Marsh Feedless

Duncan

Foster

Saharanpur Special

Ruby

Thompson (Pink Marsh)

Triumph

Propagation

Planting

Irrigation

Training and Pruning

Flowering and Fruiting

Harvesting

Yield

Post-harvest Handling and Storage

### 10. Pummelo

Uses

Climate

Soil

Varieties

Propagation

Planting

Cultural Practices

Harvesting and Yield

Insect-pests of Citrus Fruits

Lemon Butterfly (*Papilio demoleus* Linn)

Control Measures

Citrus Leaf Miner (*Phylloenistis Citrella* Stainton)

Control Measures

Citrus Psylla (*Diaphornia Citri* Kuwayma)

Control Measures

Whiteflies

Control Measures

Control Measures

Aphids

Control Measures

Mites

Control Measures

Scale Insects

Control Measures

Nematodes

Control Measures

Stem and Bark Borers (*Indarbela Tetraonis* Moore and *I. qudrinotata* Walker)

Control Measures

Fruit Sucking Moths (*Ophideres* spp).

Control Measures

Fruit Flies (*Daccus* spp).

Diseases of Citrus Fruits

Gummosis (*Photophthora* spp, *Diplodia Natalensis* Pole Evans)

Control Measures

Ganoderma Root Rot (*Ganoderma Lucidum* Karst)

Control Measures

Pink Disease (*Pellicularia Salmonicolour* Dastur)

Control Measures

Powdery Mildew (*Acrosporium Tingitaninum* Subr).

Control Measures

Anthracnose (*Colletotrichum Gloeosporioides* and *Gloeosporium Limethicolum* Clausen)

Control Measures

Twig Blight (*Diplodia* and *Fusarium* spp.)

Control Measures

Citrus Canker (*Xanthomanas Citri* Dowsan)

Control Measures

Tristeza Virus Disease (*Corium Vialoris*)

Control Measures

Xyloporosis

Control Measures

Psorosis

Control Measures

Exocortis or Scalybutt

Control Measures

Citrus Greening

Control Measures

Dendrophthoe

Control Measures  
Fruit Cracking  
Control Measures  
Citrus Decline  
Control Measures  
Granulation  
Control Measures  
Fruit Drop  
Control Measures  
Alternate Bearing  
Control Measures

## 11. Citrus Fruit Breeding

Aims of Citrus Breeding  
Related to Fruit Characters  
Related to Tree Characters  
Related to Rootstocks  
Problems in Citrus Breeding  
Time  
Polyembryony  
Sterility  
Breeding Method  
Introduction  
Selection  
Hybridization  
Mutation Breeding  
Choice of the Procedure  
Cytogenetics  
Blossom Biology in Citrus  
Blooming Period  
Flower Bud Differentiation  
Flower Bud Development  
Inflorescence  
Sex Ratio  
Anthesis  
Dehiscence  
Stigma Receptivity  
Storage, Longevity and Fertility of Pollen  
Pollen Germination  
Pollination and Fecundation  
Fruit Development

Technique of Hybridization

Structure of the Citrus Flower

Calyx

Corolla

Stamens

Pistil

Selection of Parents

Selection of Seed Parent Trees, Branches and Flowers

Bagging the Flowers

Emasculation

Pollination

Fruit Set

12. Suitable Climate

Influence of Climatic Factors

Temperature

Relative Humidity

Rainfall

Winds

Altitude

Climatic Requirements of Different Citrus Species

Sweet Oranges (*Citrus Sinensis* Osbeck)

Mandarin Oranges (*Citrus Reticulata* Blanco)

Acid Lime (*Citrus Aurantifolia* Swingle)

Sweet Lime (*Citrus Limettioides* Tanaka)

Lemon (*Citrus Limon* B)

Grapefruit (*Citrus Paradisi* Macf)

Pummelo (*Citrus Grandis* Osbeck)

Climate in Different Regions of India

13. Type of Soil

Water Drainage

Depth of the Soil

Nature of the Subsoil

Soil-reaction

Salts

Type and Fertility of the Soil

Soils Requirement of Different Citrus Species

Citrus Soils of India

Citrus Soils of Elsewhere

Work Done in India

- Citrus Breeding in U.S.A.
- Tangelos (Tangerine × Grapefruit)
- Citranges (Poncirus Trifoliata × Citrus Sinensis)
- Citrangequats (Citrange × Kumquat)
- Limequats (Mexican Lime × Kumquat)
- Hybrid acid Citrus fruit
- Mandarin Types
- Citrus Breeding in U.S.S.R.
- Citrus Breeding in Other Countries
- New Approaches in Citrus Breeding in India

#### 14. Making an Orchard

- Selection Of Site
- Spacing
- Preparation of the Site
- Layout
- Selection of Varieties
- Digging and Filling of Pits
- Planting Season
- Planting
- Care of Young Plants

#### 15. Cultivation of an Orchard

- History
- Cultivation
- Greenhouse
- Orchard House and its Management
- Composts, Potting Methods, and Containers
- Bark Preparation
- Feeding of Orchard Plants
- Outdoor Cultivation of Orchards
- Growing Orchards in Outdoor Beds
- Vegetative Propagation
- Raising of Orchards from Seeds
- Care of Seedling
- Shoot Tip or Meristem Culture
- Differentiation of Flower Buds and Induction of Flowering
- Resting
- Method of Hybridisation
- Storing Pollen
- Procedure for Pollination

After Pollination  
Diseases and Pests  
Control Measures for Fungal Diseases  
Viral Diseases and their Control  
Insect Pests and their Control

## 16. Propagation of Citrus Fruits

Seed Propagation  
Seed storage  
Seed Bed  
Sowing Time  
Sowing  
Germination  
Shade  
Nursery Bed  
Care of the Young Seedlings  
Asexual Propagation  
Budding  
Preparation of Stock Seedling  
Collection of Budwood  
Storage of Budwood  
Method of Operation  
Height of the Budding  
Lopping  
Care of Young Budlings in the Nursery  
Digging of Budlings  
Transporting  
Budwood Certification Programmes  
Cuttings  
Layering  
Grafting  
Top-Working  
Purchasing of Seedlings or Budlings  
Care of Plants on Arrival from the Nursery  
Propagation of Different Citrus Species  
Bud Variation  
Causes of Bud Variations  
Classification or Variations  
Significance of Bud Variation  
Bud Selection  
Bud Selection Methods

Nucellar Embryony

Origin and Development of Nucellar Embryos

Factors Affecting the Polyembryony

Identification

Inheritance of Nuclear Embryony

Nucellar Embryony in Citrus Species and Cultivars

Strongly Polyembryonic

Weakly Polyembryonic

Number of Embryos Per Seed

Number of Nucellar Seedlings Per Seed

Horticultural Significance

Significance of Nucellar Embryony in Citrus Breeding

Nucellar Embryony and Heterozygosity

Drawback of Nucellar Seedlings

Performance of Nucellar Lines

In Vitro Culture of Nucellar Embryos

17. Budded Roots

Qualities of a Good Rootstock

Citrus Rootstocks in India

Citrus Rootstocks of the World

Rootstock Trials in India

Punjab

Uttar Pradesh

Assam

Andhra Pradesh

Maharashtra

Karnataka

Tamil Nadu

Characteristics of Rootstocks

Cleopatra Mandarin: Citrus Reshni T.

Troyer Citrange

Citrus Sinensis – Poncirus Trifoliata

Swingle Citrumelo

Duncan Grapefruit – Trifoliolate Orange

Stock and Scion Relationships in Citrus

Effect of Root stock on Vigour of the Scion

Effect on Precocity

Effect on Productivity and Yield

Effect on Fruit Size, Colour and Quality

Effect on Winter Hardiness

Effect on Nutrition  
Effect on Disease Resistance  
Effect of the Scion on Rootstock  
Effect of Interstocks  
CITRUS ROOTSTOCK PROBLEMS  
Stionic Failures  
Viruses  
Diseases  
Nematodes  
Salts

18. Cutting of Weak/Neglected Parts  
Pruning of Young and Pre-bearing Plants  
Pruning Bearing Trees  
Pruning Older Trees  
Pruning Neglected Trees  
Pruning Overgrown Trees  
Hedging  
Root Pruning  
Pruning Time  
Wound Protection  
Pruning Different Citrus Species  
Pruning Problems

19. Soil Inspection for Citrus Family  
Soil Tillage  
Different Soil Management Practices

20. Inter Cultivation  
Choice of Intercrops in India  
Intercropping in Other Countries

21. Nutrition for Citrus World  
Mineral Nutrition  
Nitrogen  
Phosphorus  
Potassium  
Calcium  
Magnesium  
Sulphur  
Zinc

Iron  
Copper  
Manganese  
Boron  
Molybdenum  
Combined Nutritional Sprays  
Factors Governing the Nutrition  
Nutrient Elements Balance  
Manuring and Fertilization  
Manuring of Young and Pre-bearing Trees  
Manuring Bearing Trees  
Time of Application  
Methods of Application  
Foliar Analysis  
Soil Vs. Foliar Analysis  
The Concept of Foliar Analysis  
Factors Affecting Mineral Composition of Leaves  
Methods of Leaf Sampling  
Preliminary Survey of Orchard and Selection of Initial Sampling Technique  
Methods of Analysis  
Leaf Analysis Standards  
Interpretation of the Leaf Standards of Different Elements

## 22. Control Irrigation

Irrigation Requirement of Citrus Trees  
Time and Frequency of Irrigation  
Quality of Irrigation Water  
Systems of Irrigation  
Basin System  
Furrow System  
Flood Irrigation System  
Check System  
Sprinkler Irrigation  
Advantages  
Disadvantages  
Drip- or Trickle-irrigation  
Advantages  
Disadvantages  
Pitcher System  
Sub-surface Irrigation  
Irrigation to Young and Pre-Bearing Trees

## Irrigation to Bearing Trees

### 23. Unwanted Weed Removal Control

Weed Control in Nurseries

Weed Control in the Main Field

Herbicidal Effects

Phytotoxic Effects

Other Effects

### 24. Proper Harvesting of Citrus

Picking Time

Methods of Picking

Handling

Grading

Packing

Marketing

### 25. Oil of Bergamot

### 26. Oil of Lemon

### 27. Oil of Mandarin

### 28. Oil of Orange

### 29. Study of Orange Essential Oils

Analysis by Infrared Spectroscopy

### 30. Study of Orange Essential Oils

Chemical Modifications During Aging

### 31. Citrus Carotenoids (I) The Structure of Citranaxanthin, a New Carotenoid Ketone Experimental

Isolation of Citranaxanthin I

Anal. Calcd.

Alkali Cleavage of Citraanaxanthin (I).

Reduction of Citranaxanthin

Citranaxanthin (I)

Anal. Calcd.

## 32. Citrus Carotenoids (II) The Structure of Reticulataxanthin

## 33. Factors Direct Fruit Variety

### Climatic Factors

Temperature

Water

### Nutritional Factors

Nitrogen

Phosphorus

Potassium

Magnesium

Manganese

Copper

Boron

### Rootstock Effects

Fruit Size

Colour of Rind

Juice

Total Soluble Solids

Total Acidity

Ascorbic Acid Content

## 34. Post Harvesting of Citrus Fruits

Degreening

Pre-harvest Treatment

Post-harvest Application

Storage

Waxing

Polyethylene Covers

Growth Regulators

Cold Storage

Controlling Moulds in Storage

## 35. New Problems for Citrus Family

Alternate Bearing

Factors Affecting Alternate Bearing

Control

Resting Treatment

Choice of Bahar

Granulation

Analogy of Granulation

Physico-chemical Characteristics of Granulated Fruits

Incidence and Progress of Granulation

Factors Affecting Granulation

Humidity

Temperature

Light

Tree age

Tree health

Tree Vigour

Tree Aspect

Tree Variation

Fruit Size

Rootstock

Varietal Susceptibility

Control Measures

Irrigation

Effect of Time Sprays

Effect of Growth Regulators

Nutritional Sprays

Citrus Decline

Symptoms

Factors Responsible for Citrus Decline

Soil Factors

Nutritional Factors

Rootstock Factors

Orchard Management Factors

Insect-pests

Nematodes

Fungal Diseases

Viruses

Control Measures

Fruit Drop

Retarding or Inhibiting Factors

Accelerating or Initiating Factors

Temperature

Water

Insect Pests and Diseases

Physiological Factors

Nitrogen

Carbohydrates

Auxins

Embryo Development  
Control of Fruit Drop  
Mandarins  
Sweet Oranges  
Grapefruit  
Lemons

### 36. Use of Plant Growth Regulators

2,4-Dichlorophenoxy Acetic Acid (2,4-D)  
2,4,5-Trichlorophenoxyacetic Acid (2,4,5-T)  
Naphthalene Acetic Acid (NAA)  
Gibberellins  
Cytokinins  
Growth Retardants  
Ethylene  
Limitations

### 37. Serious Diseases of Citrus

Diseases Caused by Fungi  
Gummosis  
Symptoms  
Etiology and Spread of Disease  
Varietal Susceptibility  
Control Measures  
Preventive Measures  
Curative Measures  
Diplodia Gummosis  
Symptoms  
Spread  
Control  
Ganoderma Root Rot  
Symptoms  
Control  
Pink disease  
Symptoms  
Control  
Powdery Mildew  
Symptoms  
Etiology and Spread  
Control  
Felt Disease

Symptoms  
Etiology and Spread  
Varietal Susceptibility  
Control  
Anthracnose  
Symptoms  
Etiology and Spread  
Control Measures  
Scab  
Symptoms  
Etiology and Spread  
Varietal Susceptibility  
Control  
Dry Root-rot  
Symptoms  
Etiology  
Control  
Armillariella Root-rot  
Symptoms  
Control  
Sooty Mould  
Symptoms  
Damage  
Etiology and Spread  
Control  
Melanose  
Symptoms  
Etiology and Spread  
Control  
Twig Blight  
Etiology  
Symptoms  
Control  
Leaf Fall and Fruit-rot  
Symptoms  
Etiology  
Control  
Sphaeropsis Knots  
Limb Breakage  
Greasy Spot  
Nursery Diseases

## Diseases Caused by Bacteria

Citrus Canker

Symptoms

Etiology and Spread

Varietal Resistance

Control

Citrus Blast

Bacterial Root Rot

## Diseases Caused by Viruses

Diseases Affecting Certain Stionic Combinations

Tristeza or Quick Decline

Symptoms

Etiology

Transmission of the Virus

Varietal Susceptibility

Control

Saving the Existing Infected Orchards

Avoiding Losses in New Citrus Plantings

Xyloporosis

Symptoms

Virus Diseases Occurring Irrespective of Rootstocks

Psorosis

Symptoms

Etiology

Control

Stubborn Disease

Symptoms

Etiology

Diseases Caused by Viroids

Exocortis or Scalybutt

Other Miscellaneous Virus Diseases

Budunion Crease

Citrus Mosaic

Infectious Variegation

Yellow-Corky Veins

Blastomania

Leaf-curl-disease

Other Virus-Like Disorders

Creeping Stem

Bark Eruptions

Woody Galls

Young Tree Decline  
Gummy Pitting  
Tatter Leaf" Citrange Stunt Complex  
Citrus Mosaic, Navel Infections Mottling and Natsudaidai dwarf  
Citrus Greening  
Symptoms  
Etiology  
Transmission  
Varietal Susceptibility  
Control  
Phanerogamic Parasites  
Dendrophthoe (Loranthus)  
Cassytha  
Physiological Disorders  
Foam Disease  
Symptoms  
Cause  
Fruit Splitting  
Symptoms  
Cause  
Control  
Endoxerosis  
Symptoms  
Cause  
Control  
Creasing (Puffiness)  
Rough Fruit Disorder  
Market for Storage Diseases  
Penicillium Moulds  
Alternaria Rot  
Black Core Rot  
Diplodia-Stem-end Rot  
Aspergillus Rot  
Miscellaneous Diseases

### 38. Important Pests of Citrus

Introduction  
Root Pests  
Stem and Trunk Pests  
Borers  
Chloridolum Alemene Thomson

Monohanmus Versteegi Nitzema (Trunk Borer)

Stein and Bark Borers (Indarbela Spp.)

Damage by Borers

Control

Foliage Pests

Lemon Butterfly (Papilo Demoleus Linn.)

Papilionidae : Lepidoptera.

Distribution

Host Plants

Life History

Damage

Control

Citrus Leaf-Miner: (Phyllocnistis Citrelia Stainton) (Phyllocnistidae: Lepidoptera).

Distribution

Host Plants

Life History

Damage

Control

Citrus Psylla: Diaphornia Citri Kuwayama

Distribution

Host Plants

Life-history

Damage

Control

Whiteflies (Aleurocanthus Spp, Dialeurodes Spp)

Distribution

Host Plants

Life History

Damage

Control

Weevils: (Myloccerus Discolor BOH)

Mealy Bugs : Pseudocoecus Spp (Pseudococcidae : Hemiptera)

Distribution

Host Plants

Life History

Damage

Control

Aphids: Hemiptera Aphididae

Distribution

Host Plants

Life History

Damage

Control

Thrips: (Scirtothrips spp, Heliothrips spp)

Distribution

Host Plants

Damage

Life History

Control

Scale Insects: (Coccidae: Homoptera)

Damage

Armoured Scales

Unarmoured or Soft Scales

Spread

Control

Mites: (Tetranychidae: Acarina)

Distribution

Life History

Damage

Citrus Rust Mite: Phyllocoptruta Oleivorus Ashm

Six-spotted Mite : Tetranychus Sexmaculatus Riley

Control

Minor Pests

Hairy Caterpillars Euproctis Fraterna M

The Citrus Leaf-roller (Psorosticha Zizyphi Staintor)

Orange Hair Streak: (Taraucus Theophrastus)

A Grass Hopper : Poekilocerus Pictus Fab

Cricket: Braehytrypes Portentosus Light

Longhorn Beetle: Oberea Mangalorensis

Flower Pests

Citrus Flower Moth : Prays Citri Milliers

Cacoecia Epicyrta Meyrick

Blossom Midge Sayneura Citri G & P

Fruit Pests

Fruit Sucking Moths (Noctuididae : Lepidoptera)

Calpe Emarginata

Distribution

Host Plants

Life History

Damage

Control

Fruit Flies

Distribution

Host Plants

Life History

Damage

Control

Fruit Sucking Bugs

Distribution and Host Plants

Life History

Damage

Control

Citrus Rind Borer: *Prays Endocarpi* Meyrick.

General Control Measures

### 39. Nematodes of Citrus

Citrus Root Nematode

*Tylenchulus Semipenetrans* Cobb. 1913

Host Range

Control Measures

Cultural Control

Biological Control

Resistant Rootstocks

Reniform Nematode (*Rotylenchulus Reimformis*)

Burrowing Nematode (*Radopholus Similies*)

The Lesion Nematode (*Pratylenchus Coffeae*)

Root-knot Nematode (*Meloidogyne Africana*)

The Lance Nematode (*Hoplolaimus Indicus*)

Poncirus

Fortunella (Kumquats)

Citrus

## About Niir

NIIR Project Consultancy Services (NPCS) is a reliable name in the industrial world for offering integrated technical consultancy services. Its various services are: Pre-feasibility study, New Project Identification, Project Feasibility and Market Study, Identification of Profitable Industrial Project Opportunities, Preparation of Project Profiles and Pre-Investment and Pre-Feasibility Studies, Market Surveys and Studies, Preparation of Techno-Economic Feasibility Reports, Identification and Selection of Plant and Machinery, Manufacturing Process and/or Equipment required, General Guidance, Technical and Commercial Counseling for setting up new industrial projects

and industry. NPCS also publishes various technology books, directories, databases, detailed project reports, market survey reports on various industries and profit making business. Besides being used by manufacturers, industrialists, and entrepreneurs, our publications are also used by Indian and overseas professionals including project engineers, information services bureaus, consultants and consultancy firms as one of the inputs in their research.