



Entrepreneur India

106-E, Kamla Nagar, New Delhi-110007, India.

Tel: 91-11-23843955, +91 9097075054

Mobile: +91-9097075054

Email: npcs.ei@gmail.com, info@entrepreneurindia.co

Website: www.entrepreneurIndia.co



A Concise Guide on Textile Dyes, Pigments and Dye Intermediates with Textile Printing Technology

Code	NI249
Format	paperback
Indian Price	₹1675
US Price	\$150
Pages	512
ISBN	9789381039205
Publisher	NIIR PROJECT CONSULTANCY SERVICES

Description

In the past, only organic matter was available for making dyes. Today, there are numerous options and methods for the colorization of textiles. While today's methods capitalize on efficiency, there is question as to whether the use of chemicals is harmful to the environment. A reputation for harming the earth could be detrimental to a company in a society becoming more and more focused on the environment and its preservation. Today, with the invention of synthetic materials used in textiles, many new types of dyes have been developed and put into regular use. There are two basic ways to color textiles: dyes and pigments. Pigments are not a dye but rather resins mechanically bound to fibers. Dyes are divided into classes according to the types of fibers they are most compatible with. Textile printing is related to dyeing but, whereas in dyeing proper the whole fabric is uniformly covered with one color, in printing one or more colors are applied to it in certain parts only, and in sharply defined patterns. Dyes will yield the softest hand (the "hand" is the feel of the fabric) and maintain the fabric's luster but the process is expensive. Pigments are much more economical to use. Pigments are generally more lightfast, more colorfast, and give greater color control. Pigment technology has developed tremendously in the past 15 years. 85% of the textile printing in the World is pigment printing. This book contains manufacturing process and other related details about Azine dyes, Azoic dyes, Azo dyes, Thiazole dyes, Triphenylmethane dyes, scientific classification of Vat dyes, fluorination of dyes, different types of pigments, applications, usages of dyes and pigments, quality control and evaluation of pigments and many more. This book will serve as a guide to Textile Technologists, Scientists and existing as well as upcoming industries.

Content

1. AZINE AND RELATED DYES

Methods of Manufacture

Oxazines

Dioxazines

Thiazines

Commercial Grades and Specifications

Methods of Analysis

Identification

Determination of Specific Structure

Assay Methods

Spectrophotometric Methods

Titration Methods

Miscellaneous Assay Methods

Application Methods

Application to Wool

Application to Cotton
Application to Paper
Application to Leather
Determination of Impurities
2. AZOIC DYES
Azo Coupling Components
Bases
Rapid Fast Colours
Rapidogens
Manufacturing Process
m-Nitro Aniline (Fast orange R)
Properties
Solubility
O-chloroaniline (Fast Yellow G, GC)
Properties of O-Chloroaniline
O-Anisidine (Fast Red BB
Reduction
Properties
Nitro-p-anisidine (Fast Bordeaux GP)
Purification
Nitration
Hydrolysis
Purification
Naphthol AS-OL
Physical Properties of Naphthol AS-OL
Naphthol AS G
Raw materials
3. AZO DYES
Methods of Manufacture
Methods of Analysis
Identification
Hydrolysis
Nitric Acid Split
Identification of Arylamines in Cleavage Products
Identification of Diamines in Cleavage Products
Identification of Coupling Components
Separation
Blowout Method
Adsorption Chromatography
Application Method
Assay Methods

Salt Test

Titanous Chloride Reduction

Absorption Spectrophotometry

4. THIAZOLE DYES

Direct Dyes, 918

Disperse Dyes, 924

Direct Dyes

Basic Dyes

Vat Anthraquinone Dyes

Health and Safety Factors

Disperse Dyes

Preparation of a Disperse Azo Dye

Cationic Dyes

Health and Safety Aspects

5. INDIGOSOL

Uses of Solubilised Vat Dyes

Manufacture Process Anthrasol Brilliant

Orange Irc (Leuco Sulphuric Ester of
Dibromoanthranthrone)

Test

Anthrasol Blue IBC

Oxidation to Tetraester

General Observations

Identification of Leuco Ester Vat Dyes

6. INDIGOID DYES

Methods of Manufacture

Commercial Grades and Specifications

Methods of Analysis

Identification

Classification of Dye Samples

Procedure

Classification of Dyes on Fiber's

Procedure

Identification of Individual Dyes

Spectrophotometric Identification

Separation

Column Chromatography

Paper Chromatography

Assay Methods

Vatting Method

Methanol-Hydrochloric Acid Method

Spectrophotometric Method

Titration Methods

Elemental Analysis

Halogens

Sulfur

Nitrogen

Determination of Impurities and Additives

Application Methods

7. REACTIVE DYES

History

Developments

Dyes can attach themselves to the fibre in three ways

8. TRIPHENYLMETHANE AND RELATED DYES

Methods of Manufacture

Aldehyde Method

Ketone Method

Hydrolysis

Diphenylmethane Base Method

Methods of Analysis

Identification

Blowout Method

Capillary Test

Dyeing Test

Procedures

Assay Methods

Cerimetric Titration

Titanous Chloride Titration

Spectroscopic Methods

Purification of Standards

9. SCIENTIFIC CLASSIFICATION OF VAT DYES

Five Membered Rings

Two Heteroatoms

Attachment at 2-position

Attachment at 1,2-position

Attachment at 2,3-position

Attachment at 1,9-positions

Vat Dyes Containing Six Membered Rings

One Heteroatom

Attachment at 1, 9-positions

Attachment at 3,4-position of benzanthrone

Six Membered Rings Containing more than one

Heteroatom (from Anthraquinone)

Attachment at 1-position

Attachment at 1,2-positions

Attachment at 2,3-position

Attachment at 1,9-position

Fused Ring System

Dyes containing larger ring systems

10. FLUORINATION OF DYES

Hydrofluoric Acid

Materials of Construction

Fluorine

Material of Constructions

Indanthrene Brilliant Violet F3RK (C.I. 63350)

Indanthrene Blue CLB

Indanthrene printing blue HFG

Nuclear Fluorination

11. PIGMENTS

Chemical Analysis

General methods

Ash and Moisture Content

Alkalinity, Acidity, and pH

Material Soluble in Water

Presence of Organic Colours and Lakes

Pigment Content of Paste in Oil

Testing of Specific Inorganic Pigments

Titanium Dioxide Composites

Carbonate White Lead

Sulfate White Lead

Silicate White Lead

Zinc Oxide

Leaded Zinc Oxide

Zinc Sulfide

Lithopone

Antimony Oxide

Extenders

Calcium Carbonate

Calcium Sulfate

Magnesium Silicate

China Clays

Mica

Other Natural Silicates

Silica
Magnesium Carbonate And Magnesium Oxide
Barium Sulfate
Red, Maroon, And Brown Pigments
Iron and Manganese Oxide Pigments
Van Dyke Brown
Cadmium Mercury Reds
Copper Reds
Red Lead
Mercuric Oxide
Yellow and Orange Pigments
Iron Oxides
Chromate Pigments
Strontium Chromate
Green Pigments
Chrome Greens
Chromium Oxides
Blue and Purple Pigments
Iron Blues
Ultramarine Blues
Blue Lead
Cobalt Blues
Black Pigments
Carbon Black
Iron Oxide Blacks
Metallic Powders
Lead Powder
Zinc Powder
Testing of Specific Organic Pigments
Physical Testing of Properties
Colour
Tinting Strength
Opacity
Particle Size
Testing for Coarse Particles
Fine Particle Distribution
Oil Absorption
Dispersibility, Texture, and Rheology
Solubility
Density
Stability and Fastness

Other Properties

Perylene and Quinacridone Reds

Perylene Red Pigments

Preparation

General Properties

Perylene (Vermilian)

Pigment Red BL

Perylene Red

Perylene Maroon

Perylene Scarlet

Perylene Red Y

Quinacridone Red Pigments

General Properties

Rodamine Y (Pink toner)

Preparation

Properties of various red pigments compared:

Monazo Pigments

Naphthol red pigments

Precipitated (metalized azos) pigments

Non azo pigments

Pigment Orange-2 (Mono Azo Ortho Nitro Aniline Orange)

Pigment Orange-S (Mono Azo Dinitroaniline Orange)

Pigment Orange-13 (Pyrazolone Orange)

Pigment Orange - 16 (Dianisidine Orange)

Pigment Orange 17: 1 (Persian Orange Lake)

Pigment Orange-34 (Diarylide Orange, Disazo Pyrazolone)

Pigment Orange-36 (Benzimidazolone Orange

HL, Monoazo Acetoacetyl Type)

Pigment Orange-38 (Naphthol Orange)

Pigment Orange-43 (Perinone Orange)

Pigment Orange-46 (Ethyl red Lake C)

Pigment orange 48 and pigment orange 49

(Quinacridone gold and quinacridone deep gold)

Pigment Orange 51 (Pyranthrone Orange)

Organic Yellow Pigments

C.I. Pigment Yellow 1

C.I. Pigment Yellow 3

C.I. Pigment Yellow 3

CI. Pigment Yellow 65 (Arylide Yellow RN)

Pigment yellow 74 is an isomer of P. Y .65 and possesses identical characteristics

C.I. Pigment Yellow 98

Diarylides

C.I. Pigment Yellow 12

Cl. Pigment Yellow 13

C.I. Pigment Yellow 14

Cl. Pigment Yellow 17 (Diarylide Yellow AAOA)

Cl. Pigment Yellow 81 (Diarylide Yellow H10 G)

Heterocyclic yellow organic pigments

Cl. Pigment Yellow 24 (Flavanthrone Yellow)

Cl. Pigment Yellow 60 (Arylide Yellow 4R)

C.I. Pigment Yellow 100 (FD & C Yellow No. 5)

C.I. Pigment Yellow 104 (FD & C Yellow No. 6)

Organic Green Pigments

C.I. Pigment Green

C.I. Pigment Green 4r (Melachite Green PTMA)

Copper phthalocyanine green

C.I. Pigment Green 10 (Nickel Azo Yellow: Green Gold)

12. INTERMEDIATES FOR DYES AND PIGMENTS

Electrophilic

Free Radical

13. APPLICATION, USAGES OF DYES AND PIGMENTS ON TEXTILES

Introduction

Colour Index

Preparation of The Textile Material Prior to

Colouration

Dyeing of Textiles

Substantive or Direct Dyes

(a) Cationic Dye-fixing agents:

(b) Copper Sulphate + Sodium or Potassium

Dichromate + Acetic Acid:

(c) Chromium Fluoride or Acetate + Acetic Acid :

(d) Formaldehyde:

(e) Diazotization and Development:

(f) Coupling with diazotized Fast Bases:

(g) Topping with Basic Dyes:

(h) Back-tanning of Nylon-dyed with Direct Dyes:

S.D.C. Classification of Direct Dyes with regard to levelling properties

Basic and Modified Basic Dyes

Acid and Metal Complex Dyes of the

Acid Class
Details of Dyeing
Other Usages
Cellulose Diacetate
Bast Fibres
Paper
Leather
Miscellaneous Uses
Chrome and other Mordant Dyes
Chrome Dyes
Reactive Dyes
Dissolving of Reactive Dyes
Dyeing of Cotton
Other Uses of Reactive Dyes
Wool Dyeing
Silk Dyeing
Nylon Dyeing
Reactive Disperse Class
Dyeing Procedure
Reactive Wool Dyes
Dyeing Procedure
Azoic or Insoluble Azo Dyes
Dyeing Procedure
Impregnation in Naphthol
Developing Bath
Aftertreatment
Note
Popular Azoic Combinations
New Developments in Azoic range by Hoechst
Specialized application for dyeing of Warp yarn applied during sizing for Cotton Denim, Jean etc.
Procedure
Azoic Dyestuffs on other Textile Fibres
Sulphur Dyes
Application
Standing Bath
Aftertreatment
Recent Developments
Vat, Solubilized Vat and Sulphurized Vat Dyes
Vat Dyes
Indigoid Vat dyes

Dyeing by Pigmentation procedures
Pigment Padding
Pad-steam-continuous Dyeing process
Wet-on Dry process
Wet-on Wet Process
The Standfast Molten Metal Dyeing Process
Dyeing a Elevated Temperature
Vat Acid Leuco Method
Dyeing of Vat dyes on Pure Silk
Dyeing of Vat dyes on Wool
Dyeing of Synthetics
Dyeing of Bast Fibres
Other Uses
Dyeing of Indigo
Indigo for Cotton Denims
Wool
Sulphurized Vat Dyes
Dyeing Procedure
Solubilized Vat Dyes
Application
All-jig Process
Pad-jig Process
Aftertreatment
Continuous Dyeing Process
Dyeing of other materials
Disperse Dyes
Classification of the various Disperse Dyes according to their
Dyeing characteristics:
Rapid Dyeing Dyes
Dyeing of Disperse Dyes on Polyester
Dyeing Methods
Dyeing of Blends of Polyester with other fibres
Dyeing of Disperse Dyes on other fibres and Miscellaneous
applications
Colouring of Smoke Clouds
Pigments (Emulsion Composition & Dry Powder)
Application
Printing of Cotton
Sequence
Dyeing of Cotton Piece Goods with Pigment emulsion
Daylight Fluorescent Pigments far Printing

Ingrain Dyes

Dyeing with C.I. Ingrain Blues 2 on Cotton

Typical examples of Dyeing Procedures

Dyeing of C.I. Ingrain Blue 1 on Cotton

(Alcian Blue 8GX - 300 (I.C.I.)

Solvent Dyes & Food Colours

Oxidation Bases

Dyeing of Aniline Black

Cotton yarn by one-bath process

Oxidation Aniline Black (also called Aged Aniline Black)

Other uses of Oxidation Bases

Mineral Khaki (Inorganic Colourant)

Sequence

Dark Olive Green/Scamic green shade for certain categories of

Cotton material for Defence services (India)

Topping with Mineral Khaki on pre-dyed material with

Vat dyes

Fluorescent Brighteners

Natural Dyes (C.I. Natural Colour Class)

Useful Information in Dyeing & Printing

(i) Liquor-to-goods ratio or Material-liquor ratio denoted as
"M.L.R."

(ii) Depth of Shade in Dyeing

(iii) Padding

(iv) Depth of Shades in Printing

Printing of Textiles

Styles in Printing

They are:

Direct Printing Styles on Cellulosics

Printing with Reactive Dyes

Printing with Pigment Printing Compositions

Printing with Azoics

Naphthol-Nitrite Padding process

Printing with "Rapid Fast" (Hoechst) Dyes

Printing with "Rapidogen" (Bayer) Dyes

Non-acid Steam Process for Rapidogens

Printing with Vat dyes

Typical Recipes

Flash-ageing method

Printing with Solubilized Vat Dyes

Non-steaming Method

Steaming Method using Ammonium Sulphocyanide
Printing Sequence
Printing with Ingrain Dyes
(a) Printing with Alcian - 'X' (ICI) dyes
(b) Printing with Phthalogen Brilliant Blue IF-3G (Bayer)
Printing with Aniline Black
(Oxidation Base Class)
Typical recipes
Printing with Alizarine Red (Mordant Class)
Typical recipes
Printing with Direct Dyes
Typical recipe for printing of Directs
Basic Dyes
Direct Printing of Selected Dyes of
Different Classes Alongside or
Admixed with each other
Typical recipes (Block Prints)
Direct Printing Style on Pure Silk
Typical recipes
Direct Printing Style on Wool
Typical recipes
(i) Reactive Dyes (All types)
(ii) Acid Dyes
(iii) Chrome Dyes
(iv) Metal-complex Dyes (11) particularly Black
Printing of Tufted Carpets
"Vigoureux" or "Melange" Printing
Typical recipes
With Acid Milling and 2:1 Metal-Complex Dyes
Direct Printing Style on Nylon
Typical recipes
Pigment Emulsions
Direct Printing Styles on Polyester,
Triacetate and Diacetate with Disperse
Dyes
Process after Printing
"Melange (Vigoureux)" Printing of Polyester Sliver
Cellulose Triacetate
Cellulose Diacetate
Direct Printing Styles on Acrylics
Sequence

Direct Printing Styles on Fabric

From Fibre Blends

(i) Polyester/Cellulose

(ii) Polyester/Wool

(iii) Cellulosic fibre/Wool

(iv) Cellulosic fibre/Silk

(v) Wool/Silk

(vi) Cellulosic fibre/Diacetate

(vii) Cotton viscose or Polynosic fibre etc

Resist Printing Style on Cellulosics

Resists under Naphthols

Resists Under Vat

Typical recipes

Resists under Solubilized Vats

Rapldogen Resists

Rapid Fast Resists

Resists under Reactives

Reactive Dyes Resists under Reactive dyes using

Remazol-type Dyes for the 'Ground' shade and

Proclon-type Dyes as 'Illuminants'

Resists under Aniline Black

White Resist

Coloured Resists under Aniline Black

Basic Colour Resists

Resists under Phthalogen Brill Blue IF3G (Bayer) ground

Resists under Basic dyes

Resists under Acid Milling dyes and 2 1 Metal Complex dyes
dyed on Pure Silk

Discharge Printing Style

(a) White discharge

(b) Colour discharge

Discharge Printing on Dyed Cellulosics

(a) On Direct dyes dyed ground

(b) Discharge Printing on Naphthol Dyed Ground

(c) Discharge printing on Reactive dyes dyed ground

Discharge Printing of Dyed Natural Silk

Based on Sodium, Sulphoxylate Formaldehyde (Rongolite C)

Based on Sodium-Bisulfate + Zinc Dust

Illuminant Dyes (for Colour discharge)

Discharge Printing of Dyed Wool

With Acid/Direct dyes

Discharge Printing of Polyester Dyed with Disperse Dyes
Ground shades for Discharge printing
Pre-dyeing by pad method
Pre-dyeing by H.T. process
Pre-printing
Typical examples for Discharge printing
Procedures for Discharge Printing of Polyester dyed by H.T. dyeing
Discharge Printing of Dyed Cellulose DI & TRI Acetate and Nylon
Typical Recipes
White Discharge on Cellulose Diacetate and Nylon dyed with Disperse dyes
Colour Discharge of Nylon dyed with Disperse Dyes
Discharge Printing of Nylon dyed with suitable dischargeable Acid, Metal-complex and some limited Direct Dyes
Miscellaneous Applications in Dyeing and Printing
Transfer printing
Mechanical Resist Colouration
Resist Printing of Vinyl Sulphone type Reactive Dyes by "Blocking" Chemically the Reactive group
"Khadi" Printing
Conversion Style of Printing
Novel graded-shade effect on Cotton yarn by "Dyeing
Polychromatic Dyeing
Speckle Printing
Burn-out Styles
After treatment
14. COLOURANTS FOR DRUG
15. QUALITY CONTROL AND EVALUATION OF PIGMENTS
Quality Control
Evaluation of Pigments
Physical Properties of Pigment
Moisture Content
Procedure
Bulking Volume
Procedure
Mesh Residue

Particle Size
Solvent Stability
Aim
Importance of the test
IS Value
pH of the Pigment
Oil Absorption
Raw Materials Required
Defination of Oil Absorption
Opacity
Colour
Reduction Tone
Raw Materials Used
Other materials required
By Automatic Muller
Mass Tone
Apparatus required
Raw Material required
Dispersibility, Texture, and Rheology
Stability and Fastness
Other properties
To determine the sp. Gravity of Pigment
Method
Volumetric Method for the determination of
Copper in Cuprous Chloride
Estimation of Organically Bound Chlorine
Calculation
The Infra-Red Identification of Pigments

About Niir

NIIR Project Consultancy Services (NPCS) is a reliable name in the industrial world for offering integrated technical consultancy services. Its various services are: Pre-feasibility study, New Project Identification, Project Feasibility and Market Study, Identification of Profitable Industrial Project Opportunities, Preparation of Project Profiles and Pre-Investment and Pre-Feasibility Studies, Market Surveys and Studies, Preparation of Techno-Economic Feasibility Reports, Identification and Selection of Plant and Machinery, Manufacturing Process and/or Equipment required, General Guidance, Technical and Commercial Counseling for setting up new industrial projects

and industry. NPCS also publishes various technology books, directories, databases, detailed project reports, market survey reports on various industries and profit making business. Besides being used by manufacturers, industrialists, and entrepreneurs, our publications are also used by Indian and overseas professionals including project engineers, information services bureaus, consultants and consultancy firms as one of the inputs in their research.